

BEST AVAILABLE COPY

MEMORANDUM

Page 2

Independent Claims 23, 35, 42

23. (previously presented) A method of providing a mailbox answerphone service to a caller in a mobile communications system during a call directed to a directory number used commonly by different subscribers to access their mailboxes, wherein the answerphone service is located in a first network and is responsive to calls originating from within the first network and from within a second network connected to the first network via international telecommunications links, the method comprising:

providing an identification code identifying a mailbox associated with a subscriber through an answerphone service; and

entering a first mode of answerphone operation for a call originating from within the first network and a second, different mode of answerphone operation for a call originating from within the second network, wherein the answerphone service enters either the first or the second mode of operation ~~in dependence on information received during call establishment indicating whether the call is of international origin.~~

35. (previously presented) A method of providing a mailbox answerphone service to a caller in a mobile communications system during a call directed to a directory number used commonly by different subscribers to access their mailboxes, wherein the answerphone service is located in a first network and is responsive to calls originating from within the first network and from within a second network connected to the first network via international links, wherein the answerphone service is configured to enter a first mode of answerphone operation for a call originating from within the first network and a second, different mode of answerphone operation for a call originating from within the second network, the method comprising:

identifying, through an answerphone service, a mailbox associated with a subscriber identification code; and

entering either the first or the second mode of answerphone operation ~~in dependence on information received during call establishment indicating whether the call is of international origin.~~

42. (previously presented) A voice processing system for a mobile communications system, wherein the voice processing system is located in a first network and is responsive to calls originating from within the first network and from within a second network connected to the first network by international telecommunications links, wherein the voice processing system

Korobke Martens Olson & Bear LLP

BEST AVAILABLE COPY

BEST AVAILABLE COPY

MEMORANDUM

Page 3

is configured to enter a first mode of answerphone operation for a call originating from within the first network and a second, different mode of answerphone operation in response to a call originating from within the second network, wherein the voice processing system is adapted to identify a mailbox associated with a subscriber by way of an identification code processed through an answerphone service, and to enter either the first mode of answerphone operation or the second mode of answerphone operation ~~in dependence on information received during call establishment indicating whether the call is of international origin.~~

BEST AVAILABLE COPY

Knobbe Martens Olson & Bear LLP